

*CLAIM AMENDMENTS*

1. (Cancelled)
2. (Currently Amended) ~~The An electrical switch as claimed in claim 1 comprising:~~  
~~a casing,~~  
~~first and second fixed contacts,~~  
~~a moving contact having first and second parts for contact with the first and second fixed contacts, respectively,~~  
~~a first spring resiliently biassing the moving contact into contact with both of the first and second fixed contacts, and~~  
~~an operating member supported by the casing for movement between first and second positions to cause the moving contact to move into contact with and out of contact from the first and second fixed contacts, respectively, wherein~~  
~~the operating member and the spring act upon the moving contact at respective positions that are offset from each other, and~~  
~~the moving contact is pivotable by movement of the operating member in a first direction to separate the first part from the first fixed contact and, subsequently, in a second direction, opposite the first direction, to separate the second part from the second fixed contact, wherein the casing includes a support for engagement by the first part of the moving contact to enable the moving contact to pivot in the second direction.~~
3. (Previously Presented) The electrical switch as claimed in claim 2, wherein the support is situated on one side of the first part of the moving contact, opposite a part of the first fixed contact with which the first part of the moving contact is to make contact.
4. (Previously Presented) The electrical switch as claimed in claim 2, wherein the support comprises a heat sink.

Claims 5 and 6. (Cancelled)

7. (Currently Amended) The electrical switch as claimed in ~~¶ 2~~, wherein the first spring comprises a coil spring.

Claims 8 and 9. (Cancelled)

10. (Currently Amended) The electrical switch as claimed in claim 4 2, being a normally-closed switch in which, upon release of the operating member, the moving contact is biased into contact with both of the first and second fixed contacts.

11. (Previously Presented) The electrical switch as claimed in claim 3, wherein the support comprises a heat sink.

12. (Previously Presented) The electrical switch as claimed in claim 2, wherein the operating member and the first spring act upon the moving contact along respective, substantially parallel axes that are offset from each other.

13. (Previously Presented) The electrical switch as claimed in claim 3, wherein the operating member and the first spring act upon the moving contact along respective, substantially parallel axes that are offset from each other.

14. (Previously Presented) The electrical switch as claimed in claim 4, wherein the operating member and the first spring act upon the moving contact along respective, substantially parallel axes that are offset from each other.

15. (Previously Presented) The electrical switch as claimed in claim 2, wherein the moving contact comprises a lever having opposite ends as the first and second parts.

16. (Previously Presented) The electrical switch as claimed in claim 3, wherein the moving contact comprises a lever having opposite ends as the first and second parts.

17. (Previously Presented) The electrical switch as claimed in claim 4, wherein the moving contact comprises a lever having opposite ends as the first and second parts.

18. (Cancelled)

19. (Previously Presented) The electrical switch as claimed in claim 2, wherein the operating member includes a second spring engaging the moving contact.

20. (Previously Presented) The electrical switch as claimed in claim 2, wherein the operating member comprises a pushbutton.